

	商品名	商品説明	効能・効果	用法・用量	成分・分量	使用上の注意	保管および取扱い上の注意
日本語	龍角散ダイレクトローチ マンゴーR	龍角散ダイレクトローチマンゴーは、微粉末にした生薬を配合した唯一のローチです。「のどがイガイガ」する時や「声を出しすぎた」時などに口に含んで、かまずにゆっくりと溶かすように服用してください。生薬の成分がのどの粘膜に直接作用し、弱ったのどの働きを回復させます。マンゴーの香りとメントールを含んだマイクロビーズをローチに散りばめているので、服用している間、清涼感と芳香が、長く口の中にひろがります。爽やかな味のローチです。	せき、たん、のどの炎症による声がれ・のどのあれ・のどの不快感・のどの痛み・のどのはれ	・次の量を水なしで服用してください。 ・口の中に含み、かまずにゆっくり溶かすように服用してください。 ・服用間隔は2時間以上おいてください。 年齢 1回量 1日服用回数 大人(15歳以上) 1錠 5歳以上15歳未満 1/2錠 3~6回 5歳未満 服用しないこと <用法・用量に関する注意> (1)用法・用量を厳守してください。 (2)小児に服用させる場合には、保護者の指導監督のもとに服用させてください。 (3)かみ砕いたり、飲み込んだりしないでください。	6錠(大人1日の服用量)中 成分 キキョウ末 70.0mg キョウニン 5.0mg セネガ末 3.0mg カンゾウ末 50.0mg 添加物:無水ケイ酸、クエン酸、D-ソルbitol、ステアリン酸Mg、ゼラチン、グリセリン、リボフラビン、l-メントール、香料 <成分に関する注意> ローチ表面の斑点は原料によるもので、品質には問題ありません。	相談すること 1. 次の人は服用前に医師、薬剤師又は登録販売者に相談してください (1)医師の治療を受けている人。 (2)薬などによりアレルギー症状を起こしたことがある人。 (3)次の症状のある人。 高熱 2. 服用後、次の症状があらわれた場合は副作用の可能性があるので、直ちに服用を中止し、この説明文書を持って、医師、薬剤師又は登録販売者に相談してください。 関係部位/症状 皮膚/発疹・発赤、かゆみ 消化器/吐き気・嘔吐、食欲不振 精神神経系/めまい 3. 5~6日服用しても症状がよくならない場合は服用を中止し、この説明文書を持って医師、薬剤師又は登録販売者に相談してください。	(1)直射日光の当たらない湿気の少ない涼しい所に密栓して保管してください。 (2)小児の手の届かない所に保管してください。 (3)他の容器に入れ替えないでください(誤用の原因になったり品質が変わることがあります)。 (4)使用期限を過ぎた製品は服用しないでください。 2016年新規作成
英語	Ryukakusan Direct Lozenge Mango R	Ryukakusan Direct Lozenge Mango is the only lozenge which contains the crude medicine. When you have a sore or irritable throat from yelling or other causes, just put it in your mouth and let it melt without chewing. Active Herb ingredients stimulate the mucous membrane on your throat directory, and revitalizes your throat. Refreshing Mango flavor and menthol effect can last a long time in your mouth.	Cough, phlegm, throat irritation, swelling, sore throat, and other uncomfortable throat symptoms.	・Take the amount labelled below. ・Put it inside the mouth, take slowly let it melt without chewing. ・Wait 2 hours before the next use. Age Usage Daily usage Adult(over 15) 1 tablet 5 ~ under 15 Half tablet 3~6 times under 5 Do not use <Dosing and Administration.> 1. Please follow the dosing and administration. 2. For smal children, take under adults' guidance and supervision. 3. Do not chew or swallow.	6 tablets(Adult daily usage) Active Ingredient Dosage Powdered Platycodon Root 70.0mg Apricot Kernel 5.0mg Powdered Senega 3.0mg Powdered Glycyrrhiza 50.0mg Additives: Anhydrous Silicic Acid, Citric Acid, D-Sorbitol, Magnesium Stearate., Gelatin, Glycerin, Riboflavin, l-Menthol, Perfume <Warning in ingredients> The dots on the surface of the lozenge comes from the ingredient, causes no problem to the quality.	1. Please consult with your physician, pharmacist or registered sales clerks if you are: (1) Currently under a doctor's care. (2) Experienced any allergy reactions by taking any medication. (3) Having a high fever. 2. If you have the following reactions to the product, discontinue to use immediately. Take this product instruction to consult with your physician, pharmacist, or registered sales clerks. Symptoms Skin: Rash, skin reddening, itchiness Digestive system : nausea, vomiting, inappetence anorexia Nervous system: Dizziness 3. If your condition persists more than 5 to 6 days, stop taking this medicine. Please take this product instruction to show, and consult with your physician, pharmacist, or registered sales clerks.	(1) Store them in a cool, low humidity area avoiding from a direct sunlight. (2) Keep it away from small children. (3) Don't replace the product to a different container. (It may cause accidental ingestion and quality deterioration.) (4) Don't take expired products. Released on 2016