

	商品名	商品説明	効能・効果	用法・用量	成分・分量	使用上の注意	保管および取扱い上の注意																															
日本語	龍角散	龍角散は、鎮咳去痰作用を活発にする生薬(キキョウ・セネガ・キョウニン・カンゾウ)を主成分としたノドの薬です。人間の気管の内面には、線毛細胞が一面にあり、その線毛は1分間に約1,500回の速さで絶えず振動し、また気管の内壁からは粘液を分泌しています。気道を通って来たチリやホコリ、細菌などはこの粘液にとり込まれ、線毛の振動によって体外に排出されます。これが自然の浄化作用です。 ノドの使いすぎや喫煙、汚れた空気を吸ったりするとノドが炎症を起こして痛んだり、タンがからんだりして浄化能力がおとろえ、セキで苦しむことになります。こんなときに龍角散をのむと、キキョウ・セネガの有効成分サポニン配糖体が、気管内面からの粘液の分泌を高め、線毛運動を活発にして、タンをとり去り、セキを鎮め炎症をやわらげます。	せき、たん、のどの炎症による声がれ・のどのあれ・のどの不快感・のどの痛み・のどのはれ	次の量を添付のサジ(1杯0.3g)で服用してください。 <table border="1"> <thead> <tr> <th>年齢</th> <th>1回量</th> <th>1日服用回数</th> </tr> </thead> <tbody> <tr> <td>大人(15歳以上)</td> <td>1杯</td> <td rowspan="7">3～6回</td> </tr> <tr> <td>11歳以上15歳未満</td> <td>2/3杯</td> </tr> <tr> <td>8歳以上11歳未満</td> <td>1/2杯</td> </tr> <tr> <td>5歳以上8歳未満</td> <td>1/3杯</td> </tr> <tr> <td>3歳以上5歳未満</td> <td>1/4杯</td> </tr> <tr> <td>1歳以上3歳未満</td> <td>1/5杯</td> </tr> <tr> <td>3か月以上1歳未満</td> <td>1/10杯</td> </tr> <tr> <td>3か月未満</td> <td colspan="2">服用しないこと</td> </tr> </tbody> </table> <p>●龍角散は直接のどの粘膜に作用して、効果をあらわす薬です。 ●必ず水なしで服用してください。 &lt;龍角散の服用方法&gt; ①中フタを開けて。 ②サジに山盛りにとって。 ③舌の上に薬を置き、ゆっくり溶かすようにしながらノドの方に運んで下さい。</p>	年齢	1回量	1日服用回数	大人(15歳以上)	1杯	3～6回	11歳以上15歳未満	2/3杯	8歳以上11歳未満	1/2杯	5歳以上8歳未満	1/3杯	3歳以上5歳未満	1/4杯	1歳以上3歳未満	1/5杯	3か月以上1歳未満	1/10杯	3か月未満	服用しないこと		1.8g(大人1日量)中 <table border="1"> <thead> <tr> <th>成分</th> <th>含量</th> </tr> </thead> <tbody> <tr> <td>キキョウ末</td> <td>70.0mg</td> </tr> <tr> <td>キョウニン末</td> <td>5.0mg</td> </tr> <tr> <td>セナガ末</td> <td>3.0mg</td> </tr> <tr> <td>カンゾウ末</td> <td>50.0mg</td> </tr> </tbody> </table> <p>添加物:炭酸Ca、リン酸水素Ca、炭酸Mg、安息香酸、香料</p>	成分	含量	キキョウ末	70.0mg	キョウニン末	5.0mg	セナガ末	3.0mg	カンゾウ末	50.0mg	相談すること 1. 次の人は服用前に医師、薬剤師又は登録販売者に相談してください (1) 医師の治療を受けている人。 (2) 薬などによりアレルギー症状を起こしたことがある人。 (3) 次の症状のある人。 高熱 2. 服用後、次の症状があらわれた場合は副作用の可能性があるので、直ちに服用を中止し、この説明文書を持って、医師、薬剤師又は登録販売者に相談してください。 関係部位/症状 皮膚/発疹・発赤、かゆみ 消化器/吐き気・嘔吐、食欲不振 精神神経系/めまい 3. 5～6日服用しても症状がよくなる場合は服用を中止し、この説明文書を持って医師、薬剤師又は登録販売者に相談してください。	(1)直射日光の当たらない湿気の少ない涼しい所に密栓して保管してください。 (2)小児の手の届かない所に保管してください。 (3)他の容器に入れ替えないでください(誤用の原因になったり品質が変わることがあります)。 (4)使用期限を過ぎた製品は服用しないでください。  2012年4月改訂 (リスク区分変更、記載要領変更に伴う改正)
年齢	1回量	1日服用回数																																				
大人(15歳以上)	1杯	3～6回																																				
11歳以上15歳未満	2/3杯																																					
8歳以上11歳未満	1/2杯																																					
5歳以上8歳未満	1/3杯																																					
3歳以上5歳未満	1/4杯																																					
1歳以上3歳未満	1/5杯																																					
3か月以上1歳未満	1/10杯																																					
3か月未満	服用しないこと																																					
成分	含量																																					
キキョウ末	70.0mg																																					
キョウニン末	5.0mg																																					
セナガ末	3.0mg																																					
カンゾウ末	50.0mg																																					
	Name	Product Description	Efficacy	Dosing and Administration	Ingredients	Warning	Warning in preservation																															
英語	Ryukakusan	Ryukakusan is a herbal medicine consisting Platycodon Root, Senega, Apricot Kernel and Glycyrrhiza as an active ingredient which enhances the body's antitussive and expectorant actions. There is a small lining of tiny hairs in our airways called cilia. They beat rhythmically at 1500 times per minutes to move the cell or to move phlegm over the surface. Dust or foreign materials that are trapped on this mucous layer are coughed out or moved to the mouth and swallowed. This is the body's natural cleansing system. Smoking, air pollution and yelling can cause the bronchi to become inflamed bronchial walls to swell and produce excess amounts of mucous. This can weakens our natural cleansing system and will cause irritating cough. Ryukakusan's active ingredient Saponin, extracted from the Platycodon Root and Senega will enhance the cilla's movement and mucous flow. This will soothe the inflammation and remove cough, phlegm, throat irritation, swelling, sore throat, and other uncomfortable throat symptoms.	Cough, phlegm, throat irritation, swelling, sore throat, and other uncomfortable throat symptoms.	Take the Ryukakusan powder using the attached spoon(one) <table border="1"> <thead> <tr> <th>Age</th> <th>Usage</th> <th>Daily Usage</th> </tr> </thead> <tbody> <tr> <td>Adult(over 15)</td> <td>1 spoon</td> <td rowspan="7">3 to 6 times</td> </tr> <tr> <td>11 ~ under 15</td> <td>2/3 spoon</td> </tr> <tr> <td>8 ~ under 11</td> <td>1/2 spoon</td> </tr> <tr> <td>5 ~ under 8</td> <td>1/3 spoon</td> </tr> <tr> <td>3 ~ under 5</td> <td>1/4 spoon</td> </tr> <tr> <td>1 ~ under 3</td> <td>1/5 spoon</td> </tr> <tr> <td>3 months ~ under 1</td> <td>1/10 spoon</td> </tr> <tr> <td>under 3 months</td> <td colspan="2">Do not use</td> </tr> </tbody> </table> <p>● Ryukakusan works directly on the throat mucus membrane. ● Please take without using water. &lt;Dosing and Administration.&gt;  1. Open the inner cap 2. Take the spoonful Ryukakusan powder 3. Place Ryukakusan on tongue and slowly wash it toward throat while dissolving it.</p>	Age	Usage	Daily Usage	Adult(over 15)	1 spoon	3 to 6 times	11 ~ under 15	2/3 spoon	8 ~ under 11	1/2 spoon	5 ~ under 8	1/3 spoon	3 ~ under 5	1/4 spoon	1 ~ under 3	1/5 spoon	3 months ~ under 1	1/10 spoon	under 3 months	Do not use		1.8g (Adult daily usage) <table border="1"> <thead> <tr> <th>Active Ingredient</th> <th>Dosage</th> </tr> </thead> <tbody> <tr> <td>Powdered Platycodon Root</td> <td>70.0mg</td> </tr> <tr> <td>Powdered Apricot Kernel</td> <td>5.0mg</td> </tr> <tr> <td>Powdered Senega</td> <td>3.0mg</td> </tr> <tr> <td>Powdered Glycyrrhiza</td> <td>50.0mg</td> </tr> </tbody> </table> <p>Additives: Calcium Carbonate Calcium Hydrogen Phosphate Magnesium Carbonate Benzoic Acid Flavor</p>	Active Ingredient	Dosage	Powdered Platycodon Root	70.0mg	Powdered Apricot Kernel	5.0mg	Powdered Senega	3.0mg	Powdered Glycyrrhiza	50.0mg	1. Please consult with your physician, pharmacist or registered sales clerks if you are: (1) Currently under a doctor's care. (2) Experienced any allergy reactions by taking any medication.. (3) Having a high fever.  2. If you have the following reactions to the product, discontinue to use immediately. Take this product instruction to consult with your physician, pharmacist, or registered sales clerks. <b>Symptoms</b> Skin: Rash, skin reddening, itchiness, Digestive system : nausea, vomiting, inappetence anorexia Nervous system: Dizziness  3. If your condition persists more than 5 to 6 days, stop taking this medicine. Please take this product instruction to show, and consult with your physician, pharmacist, or registered sales clerks.	(1) Store them in a cool, low humidity area avoiding from a direct sunlight. (2) Keep it away from small children. (3) Don't replace the product to a different container.(It may cause accidental ingestion and quality deterioration.) (4) Don't take expired products.  Revised on April, 2012 (Category change, Description change)
Age	Usage	Daily Usage																																				
Adult(over 15)	1 spoon	3 to 6 times																																				
11 ~ under 15	2/3 spoon																																					
8 ~ under 11	1/2 spoon																																					
5 ~ under 8	1/3 spoon																																					
3 ~ under 5	1/4 spoon																																					
1 ~ under 3	1/5 spoon																																					
3 months ~ under 1	1/10 spoon																																					
under 3 months	Do not use																																					
Active Ingredient	Dosage																																					
Powdered Platycodon Root	70.0mg																																					
Powdered Apricot Kernel	5.0mg																																					
Powdered Senega	3.0mg																																					
Powdered Glycyrrhiza	50.0mg																																					